

4th EUROPEAN LS-DYNA CONFERENCE

22nd - 23rd MAY 2003, ULM, GERMANY

MAIN CONFERENCE SPONSORS



The European LS-DYNA conference is organized by a group of European LS-DYNA distributors and takes place every other year. The 4th conference will be organized under the leadership of DYNAmore with assistance from Arup, CRIL Technology, ERAB, and STRELA, LS-DYNA distributors of Germany, United Kingdom, France, the Nordic Countries, and Russia, respectively.

Additional information on the organizers is available at:

ARUP

www.arup.com/dyna

CRIL TECHNOLOGY

www.criltechnology.com

DYNA
MORE

www.dynamore.de

ENGINEERING
RESEARCH AB

www.erab.se

STRELA
russia

www.ls-dynarussia.com

CONFERENCE WEBSITE: WWW.LS-DYNACONFERENCES.DE

CONTACT ADDRESS

DYNAmore GmbH
Industriestr. 2, D-70565 Stuttgart
Germany
Phone: +49 (0) 7 11 - 45 96 00 - 0
Fax: +49 (0) 7 11 - 45 96 00 - 29
E-mail: info@dynamore.de
<http://www.dynamore.de>

conference website:
<http://www.ls-dynaconferences.de>

CONFERENCE SPONSORS



COPYRIGHT

Copyright ©2003 by DYNAmore GmbH.
Permission to reproduce any papers contained herein is granted provided that credit is given to DYNAmore, the author and his/her company. Authors retain their respective copyrights.

ISBN 3-00-011175-1

Welcome Remarks*Prof. Dr. Schweizerhof K. (DYNAmore GmbH)***CHAPTER A
PLENARY SESSIONS****Session I**

Current and future developments of LS-DYNA – I	A - I - 01
<i>Dr. Hallquist J. O. (Livermore Software Technology Corp.)</i>	
Recent New Developments in Contact Mechanics	A - I - 51
<i>Prof. Dr. Wriggers P., Fischer K. (University of Hanover); Rieger A. (Continental AG)</i>	
CAE Simulations for Passive Safety focused on the Porsche Cayenne - the Transition to New Technologies	A - I - 73
<i>Prof. Dr. Schelkle E., Klamsner H. (Dr. Ing. h. c. F. Porsche AG)</i>	
How to Develop a Five Star Car by using LS-DYNA	A - I – 83
<i>Malcusson R. (Saab Automobile AB)</i>	

Session II

LS-DYNA Applications in Shipbuilding	A - II - 01
<i>Le Soume H., Besnier F., Couty N. (Principa Marine); Legarve H. (DCN Ingénierie)</i>	
Implicit Functionality in LS-DYNA v970	A - II - 17
<i>Dr. Maker B., Dr. Grimes R., Dr. Ashcraft C. (Livermore Software Technology Corp.)</i>	
The Development of the new XJ Jaguar in Advanced Aluminium; Opportunities and Challenges	A - II - 19
<i>Zeguer T. (Jaguar Cars Ltd.)</i>	
Current and future developments of LS-DYNA – II	A - II – 49
<i>Dr. Hallquist J. O. (Livermore Software Technology Corp.)</i>	

CHAPTER B CRASH / AUTOMOTIVE APPLICATIONS

Session I

Consideration of Manufacturing Effects to Improve Crash Simulation Accuracy	B - I - 01
<i>Böttcher C.-S., Dr. Frik S. (Adam Opel AG)</i>	
Integration of Simulation in the Development Process	B - I - 09
<i>Brockmann J. (Faurecia GmbH & Co. KG)</i>	
Safety Analysis of the New ACTROS Megaspaces Cabins According to ECE-R29/02	B - I - 11
<i>Raich H. (DaimlerChrysler AG)</i>	
The Evaluation of Crashworthiness of Vehicles with Forming Effects	B - I - 25
<i>Kim H. (KIA Motors); Hong S. (Korea Advanced Institute of Science and Technology)</i>	

Session II

Validation Simulation of New Train Railway Rolling Stock Using the Finite Element Analysis	B - II - 01
<i>Ricketts B., Martin Wilson (Bombardier Transportation UK Ltd.)</i>	
Strength Analysis of Seat Belt Anchorage According to ECE R14 and FMVSS 210	B - II - 15
<i>Hessenberger K. (DaimlerChrysler AG)</i>	
Improving the Roadside Safety with Computational Simulations	B - II - 21
<i>Vesenjak M., Prof. Dr. Ren Z. (University of Maribor)</i>	

Session III

Simulation of a Vehicle Running on to a Curb by Using Tire and Vehicle FE Models	B - III - 01
<i>Fukushima; Oshita F. (Japan Research Institute)</i>	
Reasons for Scatter in Crash Simulation Results	B - III - 11
<i>Thole C.-A., Liguang M. (FhG-SCAI - Fraunhofer Institute for Algorithms and Scientific Computing)</i>	
LS-DYNA on MPP Platforms, Experiences and Practical Recommendations	B - III - 21
<i>Jankowski U. (Tecosim GmbH)</i>	
LS-DYNA on Linux-Cluster at EDAG - Use Case	B - III - 27
<i>Hanlon J. (EDAG Engineering + Design AG); Platz B. (Teraport GmbH)</i>	
Impact Performance of Flexible Guardrail Systems using LS-DYNA	B - III - 35
<i>Prof. Dr. Sennah K., Samaan M., Elmarakbi A. (University of Toronto)</i>	

CHAPTER C OCCUPANT / PEDESTRIAN SAFETY / AIRBAG

Session I – Occupant

Recent Advances in THUMS: Development of Individual Internal Organs, Brain, Small Female, and Pedestrian Model	C - I - 01
<i>Oshita F. (Japan Research Institute, Ltd.); Iwamoto M., Omori K., Kimpara H., Watanabe I., Miki K. (Toyota Central LAB); Hasegawa J. (Toyota Motor Corp.)</i>	
FTSS Dummy Model Updates:	
SID-IIs Small Side Impact Dummy Model and others	C - I - 11
<i>Dr. Huang Y.; Fuchun Zhu (FTSS - First Technology Safety Systems)</i>	
Development of the 50th Percentile Hybrid III Dummy Model	C - I - 13
<i>Prof. Dr. Kan C.-D., Dr. Marzougui D., Prof. Bedewi N. (University of Washington, NHTSA)</i>	
Fat Side Impact Dummy Models Remarks on Usage, Aspects on Usage and Potentials Pitfalls	C - I - 23
<i>Franz, U., Schuster P., Schmid W.; Oliver Graf (DYNAmore GmbH)</i>	

Session II - Occupant / Pedestrian Safety

Development and Validation of Numerical Pedestrian Impactor Models	C - II - 01
<i>Frank T. (DaimlerChrysler AG); Kurz A. (LASSO GmbH); Prof. Dr. Pitzer M. (PENG GmbH); Söllner M. (Dr. Ing. h. c. F. Porsche AG)</i>	
Crash Simulation in Pedestrian Protection	C - II - 19
<i>Dörr S., Chladek H. (IHF GmbH)</i>	
Finite Element Models for European Testing: Side Impact Barrier to WG13 and Pedestrian Impactors WG17	C - II - 29
<i>Dutton T. (ARUP)</i>	
Simulation of proposed FMVSS 202 using LS-DYNA Implicit	C - II - 49
<i>Patwardhan V., Sambamoorthy B., Halder T. (Lear Corp.)</i>	
Biomechanical Analysis of Whiplash Injuries; Women are not Scaled Down Men	C - II - 57
<i>Mordaka J., Gentle C. R. (University of Nottingham)</i>	

Session III - Occupant / Airbag

Numerical and Experimental Study on Fracture of Chute Structure at Deployment of Invisible Passenger Side Airbag	C - III - 01
<i>Kangwook L. (Hyundai Mobiles)</i>	
Application of MADYMO Occupant Models in LS-DYNA / MADYMO Coupling	C - III - 03
<i>Dr. Happee R., Janssen A. J., Fraterman E., Monster J. W. (TNO Automotive)</i>	

On Airbag Simulation in LS-DYNA with the Use of the Arbitrary Lagrangian - Eulerian Method	C - III - 11
<i>Dr. Fokin D., Dr. Fredriksson L., Lokhande N.</i> <i>(Altair Engineering GmbH)</i>	
*MAT_GAS_MIXTURE, A New Gas Mixture Model for Airbag Applications	C - III - 23
<i>Dr. Olovsson L. (Livermore Software Technology Corp.)</i>	
Prediction of Occupant Injury in an Out-Of-Position Impact Using the Fluid Structure Interaction Capabilities in LS-DYNA.....	C - III - 33
<i>Dr. Marklund P.-O. (Engineering Research Nordic AB);</i> <i>Dr. Pipkorn B. (Autoliv Research AB)</i>	

CHAPTER D MATERIAL

Session I

The Application of the Damage and Fracture Material Model to Crashworthiness Evaluations for Aluminium Cars	D - I - 01
<i>Tsuchida T., Yamamoto S. (Toyota Motor Corp.);</i> <i>Isomura K. (Toyota Industries Corp.)</i>	
Cal Micro-Mechanical Model of Composite & Flexible Woven Fabric with Fiber Reorientation	D - I - 15
<i>Prof. Dr. Tabiei A., Ivanov I. (University of Cincinnati)</i>	
A Simplified Approach for the Simulation of Rubber-Like Materials under Dynamic Loading	D - I - 31
<i>Du Bois P. (Consultant)</i>	
Implementation and Validation of the Johnson-Holmquist Ceramic Material Model in LS-Dyna	D - I - 47
<i>Dr. Cronin D. S., Dr. McIntosh G., Kaufmann C., Bui K., Berstad T.</i> <i>(University of Waterloo)</i>	

Session II

Application of material forces in finite element simulations	D - II - 01
<i>Dr. Kolling S., Ackermann D. (DaimlerChrysler AG)</i>	
On Constitutive Equations for Elastomers and Elastomeric Foams	D - II - 15
<i>Feng W. W., Dr. Hallquist J. O. (Livermore Software Technology Corp.)</i>	
Improved Plasticity and Failure Models for Extruded Mg-Profiles in Crash Simulations	D - II - 29
<i>Oberhofer G. (MATFEM); Dr. Lanzerath H., Wesemann J.</i> <i>(Ford Research Center); Hombergsmeier E. (EADS Corp. Research Center)</i>	

Implementation of a Material Model for TRIP Steels in LS-DYNA and Comparison with Test Results	D - II - 41
<i>Dr. Hilding D. (Engineering Research Nordic AB); Dr. Scheduling E. (Avesta Polaroid AB)</i>	
A new constitutive model for nitrogen austenitic stainless steel	D - II - 53
<i>Adoum M. (CRIL Technology); Frécharde S., Rondot F., Lichtenberger A. (French-German Research Inst., Saint-Louis)</i>	
Modeling of Foams using MAT 83 - Preparation and Evaluation of Experimental Data	D - II - 59
<i>Serifi E. (University of Stuttgart); Hirth A., Mattheaei S. (DaimlerChrysler AG); Dr. Müllerschön H. (DYNAmore GmbH)</i>	

CHAPTER E METAL FORMING

Session I

Stress Analysis of Connector PIN Produced by Reverse Stamping Process with LS-DYNA Numerical Simulation and Comparison to Experiments	E - I - 01
<i>Won Y.-H. (LG-Cable Ltd.)</i>	
Finite Element Analysis of Stresses Due to Normal and Sliding Contact Conditions on an Elastic Surface	E - I - 21
<i>Ram A., Prof. Dr. Danckert J., Faurholdt T. G. (University of Aalborg)</i>	
Sheet Metal Forming : Spring-back of hydro mechanical deep drawn parts	E - I - 35
<i>Buchert J., Prof. Dr. Harrison D. K., Dr. DeSilva A. K. M., Prof. Dr. Bauer H. (Aalen University of Applied Science)</i>	
Simulation of the Forming Process of Metal-Plastic-Metal Sheets	E - I - 43
<i>Dr. Borg R. (Engineering Research Nordic AB)</i>	
Newly Developed Capabilities of DYNIFORM Version 5.0	E - I - 45
<i>Tang A. (eta - Engineering Technology Associates, Inc.)</i>	

Session II

Finite Element Analysis of Superplastic Forming process using LS-DYNA	E - II - 01
<i>Samekto H. (University of Stuttgart); Prof. Dr. Roll K. (DaimlerChrysler AG)</i>	
Forming to Crash Simulation in Full Vehicle Models	E - II - 17
<i>Dr. Cafolla J., Hall R. W., Norman D. P., McGregor I. J. (Corus Automotive Engineering)</i>	
Influence of The Effect of Strain Rates on Springback in Aluminium 2024 (ISO AlCu4Mg1)	E - II - 27
<i>Kulkarni P., Prabhakar S. (Cessna Aircraft Company)</i>	

Process optimised FEA-Calculations for Hydroforming Components	E - II - 35
<i>Keigler M., Prof. Dr. Hall R., Prof. Dr. Mihsein M., Prof. Dr. Bauer H. (Aalen University of Applied Science)</i>	
Session III	
More Realistic Virtual Prototypes by Means of Process Chain Optimization	E - III - 01
<i>Gantner P., Prof. Dr. Harrison D. K., Dr. DeSilva A. K. M., Prof. Dr. Bauer H. (Aalen University of Applied Science)</i>	
Virtual Die Tryout of Miniature Stamping Parts	E - III - 15
<i>Yang M.-C., Tsai T.-C. (Metal Industries R&D Center)</i>	
Sheet Metal Forming in a Virtual Reality Environment using LS-DYNA and Neural Networks	E - III - 23
<i>Gokhale A. (University of Wichita)</i>	
Manufacturing Simulation of an Automotive Hood Assembly	E - III - 37
<i>Dr. Galbraith C. (Metal Forming Analysis Corp. / Medusa Comp. Corp.); Thomas D. (Metal Forming Analysis Corp.)</i>	
A Method for Modifying the Forming Tool Geometry in Order to Compensate for Springback Effects	E - III - 45
<i>Jernberg A. (Engineering Research Nordic AB)</i>	

CHAPTER F LS-DYNA ENVIRONMENT

Session I

CAE Data Management and Quality Assessment of LS-DYNA Crash Models using V-CESS	F - I - 01
<i>Eick M., Dr. Seybold J., Dr. Fredriksson L. (Altair Engineering GmbH)</i>	
Automating LS-DYNA Simulation Processes using SOFY's Rapid Application Development Environment RADE	F - I - 13
<i>Dr. Ulrich D. (SOFY GmbH)</i>	
scFEMod - The New Preprocessor for Efficient Assembly and Model Validation	F - I - 21
<i>Dr. Sommer O. (science + computing ag)</i>	
Improved Infrastructure Accessibility and Control with LSF for LS-DYNA	F - I - 33
<i>Slominsky M., Reichert C. (Platform Computing GmbH)</i>	

Session II

CAE Process Support by MIDAS and MEDINA	F - II - 01
<i>Sattler M.; Westh�u�ber M. (T-Systems GmbH)</i>	
A New Simulation Method for Airbags with multiple Compartments (Adaptive Euler Domains)	F - II - 15
<i>Reza S. (MSC.Software GmbH)</i>	
Virtual Reality in Crash-Simulation	F - II - 35
<i>Birk F. (3Dims GmbH)</i>	
Improving Productivity by Immersion and Interaction - A New Approach in CAE	F - II - 39
<i>Dr. R��bler A. (Icido GmbH)</i>	

CHAPTER G
DROP TEST / IMPACT

Session I

Numerical Modelling of Impacts on Ski Safety Nets	G - I - 01
<i>Adoum M., Lapoujade V. (CRIL Technology)</i>	
Improved Numerical Investigations of a Projectile Impact on a Textile Structure	G - I - 07
<i>Prof. Dr. Schweizerhof K. (DYNAmore GmbH); Blankenhorn G. (University of Karlsruhe); Finckh H. (University of Stuttgart)</i>	
Optimization of a Cockpit Structure according to ECE-R 21 Regulation	G - I - 15
<i>Walter M., Chladek H. (IHF GmbH)</i>	
Examples' Manual for *User_Loading Option	G - I - 29
<i>Adoum M., Lapoujade V. (CRIL Technology)</i>	

Session II

Structural Design Review of LCD-TV Module by Impact Analysis	G - II - 01
<i>Choi S., Lee J.-G. (Samsung Electronics Corp.)</i>	
The Relation Between Initial Yaw and Long Rod Projectile Shape After Penetration an Oblique Thin Plate	G - II - 11
<i>Dr. Arad M., Dr. Touati D., Latovitz I. (Israel Military Industries)</i>	
Numerical Simulation of a Flight Recorder's; Protective Case Penetration Resistance Test	G - II - 23
<i>Dr. Ryabov A., Dr. Romanov V., Kukanov S., Roschihmarov D. (Sarov Open Computing Center)</i>	
LS-DYNA Application to Calculate Loads Causing Critical Damages of Container for FM Transportation	G - II - 33
<i>Roubtsov B., Abramov A., Voikina O., Komarov A., Serbin V. (Strela)</i>	

CHAPTER H IMPLICIT / NEW DEVELOPMENTS

Session I

Heat Transfer in LS-DYNA	H - I - 01
<i>Dr. Shapiro A. (Livermore Software Technology Corp.)</i>	
Under the hood of Implicit LS-DYNA	H - I - 09
<i>Dr. Grimes R. (Livermore Software Technology Corp.)</i>	
Simulation of Full-Scale Seismic-Resistant Structural Frame Tests Using LS-DYNA 960 Implicit Solver	H - I - 17
<i>Walker B. (ARUP); Field C. J. (ARUP & Partners California Ltd.)</i>	
LS-DYNA Beam Elements: Default and User Defined Cross Section Integration	H - I - 31
<i>Dr. Schwer L. (Schwer Engineering & Consulting Services)</i>	
Stabilized DSG Elements - A New Paradigm in Finite Element Technology	H - I - 49
<i>Dr. Bischoff M., Koschnick F., Prof. Dr. Bletzinger K.-U. (University of Munich)</i>	

CHAPTER I AEROSPACE / FLUID-STRUCTURE INTERACTION

Session I

Jet Engine Fan Blade Containment using Two Alternate Geometries	I - I - 01
<i>Dr. Carney K., Dr. Pereira M., Revilok D. (NASA Glenn Research Center); Matheny P. (Florida Turbine Technology)</i>	
The Use of LS-DYNA Fluid-Structure Interaction to Simulate Fluid-Driven Deformation in the Aortic Valve	I - I - 11
<i>Prof. Dr. Howard I. C., Prof. Dr. Patterson E. A. (University of Sheffield); Prof. Dr. Carmody C. J. (Bennett & Associates Ltd.); Dr. Burriesci G. (Sorin Biomedica Cardio)</i>	
Modern Field Code Cluster of Fluid Dynamics and Structure Mechanics with Meta-Computing Grids for Safety and Environment Research Studies	I - I - 21
<i>Rehm W., Wang B. (FZJ-IWV, Forschungszentrum Jülich) Binninger B. (RWTH-ITM - University of Aachen) Nae C. (INCAS - University of Bucharest)</i>	
Fluid-Structure Interaction in LS-DYNA: Industrial Applications	I - I - 35
<i>Prof. Dr. Souli M. (Livermore Software Technology Corp.)</i>	

CHAPTER J OPTIMIZATION

Session I

Shape Adaptive Airfoils for Turbomachinery Applications:

Simulation and Optimization J - I - 01

Müller T., Prof. Dr. Lawrenz M. (University of Kassel)

Crashworthiness Optimization in LS-OPT :

Case Studies in Metamodeling and Random Search Techniques J - I - 11

Dr. Stander N., Dr. Roux W. J. (Livermore Software Technology Corp.); Giger M., Dr. Redhe M. (University of Linköping)

Analyzing “Noisy” Structural Problems with LS-OPT :

Probabilistic and Deterministic Fundamentals J - I - 27

Dr. Stander N., Dr. Roux W. J. (Livermore Software Technology Corp.)

Method for Automated Geometry Optimization using

Stochastic Methods J - I - 41

Höfer C., Sakaryali C. (EASi Engineering GmbH)

CHAPTER K MPP / LINUX CLUSTER / HARDWARE

Session I

Considerations for LS-DYNA Efficiency in the SGI IRIX

and Linux Environments with a NUMA System Architecture K - I - 01

Posey S., Meng N. (Silicon Graphics)

Performance of LS-DYNA on hpcLine Linux Clusters K - I - 09

Altmeyer K. (Fujitsu Siemens Computers GmbH)

A Correlation Study Between MPP LS-DYNA Performance

and Various Interconnection Networks – a Quantitative

Approach for Determining the Communication

and Computation Costs K - I - 11

Lin Y.-Y. (Hewlett-Packard Ltd.)

Itanium – A viable next-generation technology for

crash simulation ? K - I - 21

Hillcoat A. (Hewlett-Packard Ltd.)

Recent Developments of LS-DYNA - Performance Optimization K - I - 33

Roh Y.-S., Fong H. (SUN Microsystems Inc.)

Porting LS-DYNA to AMD Opteron K - I - 43

Rintala D., Jessel D. (AMD - Advanced Micro Devices)

Session II

Performance of LS-DYNA on NEC-Clusters and New Highend SMP-Systems	K - II - 01
<i>Dr. Findling A. (NEC High Performance Computing Europe GmbH)</i>	
How to Make LS-DYNA Run Faster	K - II - 03
<i>Li G., Dr. Zais J. (IBM CAE Applications Team)</i>	
Comparative Performance of InfiniBand Architecture and Gigabit Ethernet Interconnects on Intel Itanium 2 Microarchitecture-based ...	K - II - 13
<i>Chaltas G., Prince T., Magro W., Jonsson L. (Intel Corp.)</i>	
The New Paradigm Shift for High-Performance Computing	K - II - 23
<i>Cornelius H. (Intel GmbH)</i>	
Linux Cluster - Computer Power Out of the Box	K - II - 39
<i>Schlagenhauf H. (science + computing ag)</i>	